

SweetPro[®]

Net Wt. 250 lbs.
(114 kg.)

PowerMate

Guaranteed Analysis

Crude Protein	Minimum 14.00%
Crude Fat	Minimum 5.00%
Crude Fiber	Maximum 5.50%
Calcium (Ca)	Minimum 1.25% - Maximum 1.75%
Phosphorus (P)	Minimum 1.00%
Salt (NaCl)	Minimum 10.00% - Maximum 12.00%
Magnesium (Mg)	Minimum 1.50%
Potassium (K)	Minimum 1.10%
Sulfur (S)	Minimum 1.00%
Copper (Cu)	Minimum 600 ppm
Selenium (Se)	Minimum 4.75 ppm - Maximum 5.25 ppm
Zinc (Zn)	Minimum 1,200 ppm
Manganese (Mn)	Minimum 750 ppm
Cobalt (Co)	Minimum 4.0 ppm
Iodine (I)	Minimum 8.0 ppm
Vitamin A	Minimum 100,000 IU/lb.
Vitamin D	Minimum 20,000 IU/lb.
Vitamin E	Minimum 80 IU/lb.
Alpha-Amylase (from <i>Aspergillus oryzae</i>)	Minimum 3,393 ug starch hydrolyzed/min/oz.
Amyloglucosidase (from <i>Aspergillus niger</i> , <i>Aspergillus oryzae</i>)	Minimum 513 ug maltose hydrolyzed/min/oz.

Ingredients: Com Distillers Dried Grains with Solubles, Com Condensed Distillers Solubles, Salt, Diatomaceous Earth (*Diatomaceous Earth used as a binder*), Com Gluten Meal, Mono-Calcium Phosphate, Calcium Sulfate, Magnesium Oxide, Canola Oil, Potassium Chloride, Yeast Culture, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Zinc Polysaccharide Complex, Zinc Proteinate, Manganese Polysaccharide Complex, Manganese Proteinate, Copper Polysaccharide Complex, Copper Proteinate, Dried *Aspergillus Oryzae* Fermentation Extract, Liquid *Aspergillus Niger* Fermentation Product, Cobalt Carbonate, Sodium Selenate, Ethylenediamine Dihydrodide, Vitamin A Acetate (Stability Improved), Vitamin D3 Supplement, Vitamin E Supplement.

Zinc, Manganese and Copper are 50% organically complexed.

Does Not Contain Any Animal Protein

PowerMate

SweetPro[®] PowerMate blocks are designed for essential fortification of cows, stocker cattle, and goats requirements for vitamins A, D & E, plus protein, calcium, phosphorus and trace elements including selenium. Daily intake will vary depending on forage quality and nutritional needs.

Feeding Instructions:

1. Before feeding SweetPro[®] PowerMate tubs for the first time, animals should be well fed.
2. Have one lick tub available per 25 head of beef and dairy cattle.
3. Have one lick tub available per 50 head of goats.
4. Provide access to plenty of clean, fresh water at all times.
5. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
6. Make blocks available in more than one location in large pastures or where more than one water source is available.
7. Other salt and minerals may be provided free choice to balance specific needs.
8. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, recommended range of intake is .75 to 1.25 lbs./hd/day for cattle and 1.0 to 2.5 ounces/hd/day for goats.
9. Once animals consistently consume more than 1.25 lbs/hd/day for cattle and 2.5 ounces/hd/day for goats, transition to PowerMate 2.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

Caution!

Contains 600 ppm copper. **DO NOT FEED TO SHEEP!**
Do not use in association with another feed containing supplemental selenium.

Control #: _____

Guaranteed by Harvest Fuel, Inc., 1505 4th Avenue E., Horton, KS, 66439 (800) 327-9222

All rights reserved. SweetPro is a registered trademark of Harvest Fuel, Inc. Made in U.S.A. Printed with soy inks.
Patent NO.: US 5,260,089 Patent NO.: US 6,777,019 B1 Patent NO.: US D352,136 Patent NO.: US D440,362 Patent NO.: US D428,232